

DISINFECTANT, CLEANER, MILDEWSTAT, FUNGICIDE, VIRUCIDE*, DEODORIZER,

This product is a one-step disinfectant, cleaner and deodorant designed for general cleaning, disinfecting, deodorizing and controlling mold and mildew on hard, non-porous surfaces.

For use in Hospitals, Nursing Homes, Commercial, Institutional, Industrial sites, Schools, Veterinary clinics, Restaurants, and Food Handling and

Effective in hard water up to 400 ppm hardness, calculated as Ca CO3, in the presence of 5% soil.

| ACTIVE INGREDIENTS: | |
|------------------------------------|--------|
| Didecyl Dimethyl Ammonium Chloride | 2.54% |
| Alkyl (50% C14, 40% C12, 10% C16) | |
| Dimethyl Benzyl Ammonium Chloride | 1.69% |
| OTHER INGREDIENTS: | 95.77% |

TOTAL:

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layage.

This product can be used on washable hard, non-porous surfaces such as: countertops, sinks, exterior surfaces of refrigerators, microwave ovens and appliances, Glass surfaces, laminated surfaces, metal, stainless steel, glazed porcelain, glazed ceramic, plastic such as polystyrene or polypropylene, sealed terrazzo, chrome and vinyl. Plexiglas® enameled surfaces, tables, chairs, washable walls, floors, shower stalls, bathtubs, toilets, urinals, restroom fixtures, kennel runs and cages. This product contains no phosphorus. This product is a one-step disinfectant that is effective against a broad-spectrum of bacteria, is virucidal* including HIV-1, HCV & HBV and inhibits the growth of mold and mildew and their

soil on hard, non-porous surfaces; Acinetobacter baumannii, Acinetobacter Iwoffi, Bordetella bronchiseptica, Citrobacter freundii, Chlamydia psittaci, Enterobacter agglomerans, Enterobacter aerogenes, Enterobacter cloacae, Escherichia coli, Escherichia coli (11:H8, Escherichia coli (Extended Spectrum B-Lactamase) (ESBL), Escherichia coli (Tetracycline Resistant). Enterococcus faecalis. Enterococcus hirae. Fusobacterium necrophorum. Klebsiella oxytoca. Klebsiella pneumoniae, Listeria monocytogenes, Micrococcus luteus, Pasturella multocida, Proteus vulgaris, Pseudomonas aeruginosa, Pseudomonas aeruginosa (Tetracycline Resistant), Pseudomonas cepacia, Salmonella enterica, Salmonella enterica serotype pullorum, Salmonella typhi, Salmonella typhimurium, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus, Staphylococcus aureus (sub species aureus), Staphylococcus aureus (Community Associated Methicillin Resistant) (CA-MRSA), Staphylococcus aureus (Methicillin Resistant) (MRSA), Staphylococcus epidermidis, Staphylococcus epidermidis (Antibiotic resistant), Streptococcus agalactiae, Staphylococcus haemolvticus Streptococcus pneumoniae (Penicillin Resistant), Streptococcus pyogenes, Streptococcus mutans, Enterococcus faecalis (Vancomycin Resistant) (VRE). Staphylococcus aureus (Vancomycin Intermediate Resistant) (VISA). Vibrio cholera. Yersinia enterocolitica

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per gal. of water and 5% soil on hard. non-porous surfaces: Avian Influenza A (H5N1) Virus, Avian Influenza A (H3N2) Virus, Cytomegalovirus, Coronavirus (SARS-associated), Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2. Human Coronavirus, Human Immunodeficiency Virus Type 1 (HIV 1), Influenza A (H1N1) Virus, Respiratory

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 2 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Candida albicans, Trichophyton mentagrophytes (Athlete's foot fungus) (a cause of

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Avian Infectious Bronchitis Virus, Avian Influenza A Virus (H5N1), Avian Influenza A Virus (H3N2), Canine Coronavirus, Canine Distemper Virus, Feline Picomavirus, Infectious Bovine Rhinotracheitis Virus, Pseudorabies Virus, Swine Influenza A Virus (H1N1), Transmissible Gastroenteritis Virus,

This product kills the following viruses in 10 minutes at 8 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Canine Parvovirus**(CPV), Mice** (Parvovirus) (Not for use in CA.), Rabies**, Porcine Parvovirus**.

** Indicates that a dilution of 8 oz. per gal. of water is required for this claim.

MILDEWSTATIC PERFORMANCE: This product controls the following mold in 10 minutes at 2 oz. per gal. of water on hard, non-porous surfaces; Asperaillus niger,

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected. This product is not for use on medical device surfaces.

- FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFECTANT, FUNGICIDE, VIRUCIDE*, CLEANER:
- 2. Apply use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, nonporous surfaces with a sponge, brush, cloth, mop, auto scrubber, mechanical spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
- Treated surfaces must remain wet for 10 minutes.
- 4. Allow to air dry, Rinsing of floors is not necessary unless they are to be waxed or polished.
- 5. Prepare a fresh solution daily or when visibly dirty

*KILLS HIV. HBV AND HCV ON PRE-CLEANED HARD. NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects Do not contaminate water, food, or feed by storage and disposal. likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV)

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 2 oz. per gal. of water and 5% SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. Disposal of Infectious Materials; Blood and CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. Contact Time: Allow hard, non-porous surfaces to remain wet for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for minutes for all organisms.

TO CONTROL MOLD/MILDEW: Pre-clean heavily soiled areas. Prepare use solution by adding 2 oz. of this product dispose of in a sanitary landfill, or by incineration. per gal, of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

Prior to use of this product, remove all animals and feeds from premises, animal transportation vehicles, and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove other surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding contaminated clothing and wash clothing before reuse. and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE*: Prepare a use solution of 2 oz. of this product per gal. of water for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE**: Prepare a use solution of 8 oz. of this product per gal. of water for effectiveness against designated animal viruses on the label.

Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, mechanical spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray, Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain wet for 10 minutes. Ventilate buildings coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT DIRECTIONS

Remove heavy soil prior to disinfection.

From a Concentrate: Add 2 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet brush, cloth, or sponge. Allow solution to stand for 10 minutes and flush.

From a Use Solution: Empty water out of toilet bowl or urinal and apply use-solution prepared by adding 2 oz. of this product per gal. of water (or equivalent use dilution) to exposed surfaces, including under the rim with a toilet brush, EPA Reg No. 10324-154-89749 cloth, or sponge. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

GENERAL DEODORIZATION: To deodorize, apply 2 - 4 oz. of this product per gal, of water to hard, non-porous surfaces. Wine up excess liquid and allow to air dry

GLASS CLEANING/DEODORIZING DIRECTIONS: Use a 2 - 4 oz. of this product per gal, of water use solution to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device, For spray applications, spray total in dire decounties, initiation, init

FOR USE AS A CLEANER ON FINISHED FLOORS: To limit gloss reduction, use 2 - 4 oz. of this product per of water. Apply with a damp mop or auto scrubber. Allow surface to air dry.

STORAGE AND DISPOSAL

make it inaccessible to children or persons unfamiliar with its proper use

Immunodenciency virus type 1 (+11V-1), Hepatius of virus (+10V).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for quidance.

container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear googles or face shield and

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, ovsters and shrimp.

APPROVED

By Brandy Williams at 3:40 pm, Aug 04, 2016

EPA Est. No. 8325-PA-01

ESL03-07-2016/LU07-25-2016

Case Contents: 4 x 1 Gallon (Total: 4 Gallons) 🗌 MADE IN THE USA

SOLD BY: MICROVACC, LLC 107 Watercrest Ct., Wildwood, MO 63040 • 314-709-6066 • Fax: 636-273-3422



APPROVED

By Brandy Williams at 3:41 pm. Aug 04, 2016

MICROVACC

Disinfectant, Cleaner, Mildewstat, Fungicide, Virucide*, Deodorizer,

| ACTIVE INGREDIENTS: | |
|------------------------------------|---------|
| Didecyl Dimethyl Ammonium Chloride | 2.54% |
| Alkyl (50% C14, 40% C12, 10% C16) | |
| Dimethyl Benzyl Ammonium Chloride | 1.69% |
| OTHER INGREDIENTS: | 95.77% |
| TOTAL: | 100.00% |

EPA Reg No. 10324-154-89749

FPA FST, No. 8325-PA-01

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

See side panel for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance. then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layage.

NET CONTENTS: ☐ 1 QUART ☐ CASE CONTENTS: 12 x 1 Qt. / Total: 3 Gal.

This product can be used on washable hard, non-porous surfaces such as: countertops, sinks, exterior surfaces of refrigerators, microwave ovens and appliances. Glass surfaces, laminated surfaces, metal, stainless steel, glazed porcelain, glazed ceramic, plastic such as polystyrene or polypropylene, sealed terrazzo, chrome and vinyl, Plexiglas®, enameled surfaces, tables, chairs, washable walls, floors, shower stalls, bathtubs, toilets, urinals, restroom fixtures, kennel runs and cages. This product contains no phosphorus. This product is a one-step disinfectant that is effective against a broad-spectrum of bacteria, is virucidal* including HIV-1, HCV & HBV, and inhibits the growth of mold and mildew and their odors when used as directed

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear googles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, ovsters and shrimp.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons

unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as

follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

See Insert For Other Directions For Use and Organisms.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

This product is not for use on medical device surfaces.

FOR USE AS A ONE-STEP, GENERAL, HOSPITAL, MEDICAL DISINFECTANT, FUNGICIDE, VIRUCIDE*, CLEANER:

- Pre-clean heavily soiled areas.
- 2. Apply use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, auto scrubber, mechanical spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
- Treated surfaces must remain wet for 10 minutes.
- 4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.
- 5. Prepare a fresh solution daily or when visibly dirty.

SOLD BY: MicroVacc, LLC • 107 Watercrest Ct. Wildwood, MO 63040 • +1-314-709-6066 • Fax: 636-273-3422

SERT N



APPROVED

By Brandy Williams at 3:41 pm, Aug 04, 2016

D I 25C

Disinfectant, Cleaner, Mildewstat, Fungicide, Virucide*, Deodorizer.

This product is a one-step disinfectant, cleaner and deodorant.

For use in Hospitals, Nursing Homes, Commercial, Institutional, Industrial sites, Schools, Veterinary clinics, Restaurants, and Food Handling and Processing Areas. Effective in hard water up to 400 ppm hardness, calculated as Ca CO3, in the presence of 5% soil.

> ACTIVE INGREDIENTS: Didecyl Dimethyl Ammonium Chloride Alkyl (50% C14, 40% C12, 10% C16) Dimethyl Benzyl Ammonium Chloride..... .1.69% OTHER INGREDIENTS: .. TOTAL:

EPA Reg No. 10324-154-89749

EPA Est. No. 8325-PA-01

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

See below for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

In case of emergency, cair a poison control center or doctor for freatment advice. Have the product container of label with you when calling a poison control center or doctor, or going for freatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

This product can be used on washable hard, non-porous surfaces such as: countertops, sinks, exterior surfaces of refrigerators, microwave ovens and appliances. Glass surfaces, laminated surfaces, metal, stainless steel, glazed porcelain, glazed ceramic, plastic such as polystyrene or polypropylene, sealed terazo, chrome and vinyl, Plexiglas®, enameled surfaces, tables, chairs, washable walls, floors, shower stalls, bathtubs, toilets, urinals, restroom fixtures, kennel runs and cages. This product contains no phosphorus. This product is a one-step disinfectant that is effective against a broad-spectrum of bacteria, is virucidal' including HIV-1, HCV & HBV and inhibits the growth of mold and mildew and their odors when used as directed.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 2 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Acinetobacter baumannii, Acinetobacter lwoffi, Bordetella bronchiseptica, Citrobacter ferundii, Chlamydia psittaci, Enterobacter agglomerans, Enterobacter aerogenes Enterobacter cloacae, Escherichia coli, Escherichia coli 11:148, Escherichia coli (Extended Spectrum B-Lactamase) (ESBL), Escherichia coli (Tetracycline Resistant), Enterococcus hirae, Fusobacterium necrophorum, Klebsiella oxytoca, Klebsiella pneumoniae, Listeria monocytogenes, Micrococcus luteus, Pasturella multocida, Proteus vulgaris, Pseudomonas aeruginosa, Pseudomonas aeruginosa (Tetracycline Resistant), Stephylococcus aureus (Methicillin Resistant) (MRSA), Staphylococcus aureus (Staphylococcus aureus (Methicillin Resistant) (MRSA), Staphylococcus epidermidis (Antibiotic resistant), Streptococcus agalactiae, Staphylococcus epidermidis (Antibiotic resi

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 2 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Candida albicans, Trichophyton mentagrophytes (Athlete's foot fungus) (a

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Avian Inflectious Bronchitis Virus, Avian Influenza A Virus (H3N2), Canine Coronavirus, Canine Distemper Virus, Feline Picomavirus, Infectious Bovine Rhinotracheitis Virus, Pseudorabies Virus, Swine Influenza A Virus (H1N1), Transmissible Costractoritis Virus Gastroenteritis Virus

Gastroenterius virus.

This product kills the following viruses in 10 minutes at 8 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Canine Parvovirus**(CPV), Mice** (Parvovirus) (Not for use in CA.), Rabies**, Porcine Parvovirus**.

** Indicates that a dilution of 8 oz. per gal. of water is required for this claim.

MILDEWSTATIC PERFORMANCE: This product controls the following mold in 10 minutes at 2 oz. per gal. of water on hard, non-porous surfaces: Aspergillus niger.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully

This product is not for use on medical device surfaces.

FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFECTANT, FUNGICIDE, VIRUCIDE*, CLEANER:

1. Pre-clean heavily soiled areas.

2. Apply use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, auto scrubber, mechanical spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.

3. Treated surfaces must remain well for 10 minutes.

4. Allow to air dry. Rhinsing of floors is not necessary unless they are to be waxed or polished.

5. Prepare a fresh solution daily or when visibly dirty.

*KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY

SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear protective latex gloves.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. Contact Time: Allow hard, non-porous surfaces to remain wet for 10 minutes for all organisms.

TO CONTROL MOLD/MILDEW: Pre-clean heavily soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

ANIMAL PREMISES

Prior to use of this product, remove all animals and feeds from premises, animal transportation vehicles, and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE*: Prepare a use solution of 2 oz. of this product per gal. of water for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE**: Prepare a use solution of 8 oz. of this product per gal. of water for effectiveness against designated animal viruses on the label.

Apply use solution to disinfect hard, non-prorus surfaces with a sponge, brush, cloth, by immersion, mechanical spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT DIRECTIONS

Remove heavy soil prior to disinfection.

From a Concentrate: Add 2 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed

From a Concentrate: Add 2 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet brush, cloth, or sponge. Allow solution to stand for 10 minutes and flush. From a Use Solution: Empty water out of toilet bowl or urinal and apply use-solution prepared by adding 2 oz. of this product per gal. of water (or equivalent use dilution) to exposed surfaces, including under the rim with a toilet brush, cloth, or sponge. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

GENERAL DEODORIZATION: To deodorize, apply 2 - 4 oz. of this product per gal. of water to hard, non-porous surfaces. Wipe up excess liquid and allow to air dry.

GLASS CLEANING/DEODORIZATION BIRECTIONS: Use a 2 - 4 oz. of this product per gal. of water use solution to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Rub with sponge or cloth. Change cloth, sponge or towels frequently to avoid re-deposition of soil.

avoid re-deposition of soil.

FOR USE AS A CLEANER ON FINISHED FLOORS: To limit gloss reduction, use 2 - 4 oz. of this product per gal. of water Anoliv with a damp mop or auto scrubber. Allow surface to air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutelly hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, aquatic invertebrates

C16